



FIELD TILES		
SIZE	SIZE SPECIFICATIONS	THICKNESS*
FLAT TILE		
2.8"x5.8"	2.874"x5.827" (73mm x 148mm)	0.346" (8.8mm)
5.8"x5.8"	5.827"x5.827" (148mm x 148mm)	0.346" (8.8mm)
3.8"x7.8"	3.858"x7.795" (98mm x 198mm)	0.346" (8.8mm)
1.9"x7.8"	1.890"x7.795" (48mm x 198mm)	0.346" (8.8mm)
BEVELED TILE		
6" Arabesque Beveled	5.906"x5.906" (150mm x 150mm)	0.488" (12.4mm)
6" Tear Drop Beveled	5.2362"x5.906" (133mm x 150mm)	0.460" (11.7mm)
FRAMED TILE		
2.8"x5.8" Framed	2.874"x5.827" (73mm x 148mm)	0.543" (13.8mm)

DECORATIVE ACCESORIES & FINISHING TOUCHES		
Ponciana Liner 1"x7.8"	0.984"x7.795" (25mm x 198mm)	0.394" (10mm)
Round Bar Liner 1.2"x7.8"	1.102"x7.795" (28mm x 198mm)	0.669" (17mm)
Stripe Liner 0.7"x7.8"	0.709"x7.795" (18mm x 198mm)	0.512" (13mm)
Quarter Round 1"x5.8"	0.945"x5.827" (24mm x 148mm)	0.394" (10mm)
Rail Molding 2.8"x7.8"	2.992"x7.795" (76mm x 198mm)	1.102" (28mm)
Chair Molding 2"x7.8"	2.008"x7.795" (51mm x 198mm)	0.866" (22mm)
Base Board (Glazed Top Edge) 5.8"x5.8"	5.827"x5.827" (148mm x 148mm)	0.512" (13mm)

*Thickness is understood as the highest point of the tile.

APPLICATIONS		
	SUITABLE RESIDENTIAL	SUITABLE COMMERCIAL
Bathroom Walls	YES	YES
Shower Walls	YES	YES
Kitchen Walls	YES	YES
Countertops	YES	NO
Fireplace Surrounds	YES	YES
Outdoor Cooking / Bar Spaces	YES	YES
Pool Waterlines / Water Fountains	NO	NO
Floors	NO	NO
PERFORMANCE CHARACTERISTICS		
	TEST METHOD ATSM / ISO	RESULT
Water Absorption	C-373 / 10545-3	Pass
Breaking Strength	C-648 / 10545-4	Pass
Chemical Resistance	C-651 / 10545-14	Resistant
Facial Dimensions	C-499 / 10545-2	Pass
Range of Thickness	C-499 / 10545-2	Pass
Warpage	C-485 / 10545-2	Pass

INSTALLATION	
GROUT JOINT RECOMMENDATION	SHADE VARIATION
1/8"	V1 - Uniform Appearance

CLEANING RECOMMENDATIONS
Routine with a non-abrasive/non-acidic, mild and PH neutral cleaner

CHARACTERISTICS	
Glaze	Solid with subtle movement
Surface Sheen	Glossy
Texture	Slightly Undulated

Due to the nature of our tile, a certain amount of variation in color, shading, surface and texture are to be expected.